

# 652

**Brand:** Omega

**Product Code:** 652

**Availability:** Out Of Stock

**UPC:** 289538968482

**FCC ID:** L2M651

**MPN:** 652-07

**Location:** Cleveland, Ohio

**Price: \$69.99**

## Short Description

2-Way LCD Remote Control

## Description

**Brand NEW K-9 652-07 2-Way 1/4-Mile Range LCD Remote Control Transmitter**

Omega 652 2-way 5-button remote control transmitter for various K-9 systems, see list below. Are you looking for a replacement remote control for your system or just need an additional remote control? Buy with confidence from Access 1 Alarm and Audio!

This remote control is new from the original manufacturer ensuring that you are receiving a genuine product made for your K-9 system.

## Works with the following K-9 systems:

- CG-540i8
- K9-ECLIPSE-2
- K9-SOL

## Will replace the following remote K-9 remote controls:

- 641
- 652

Please make sure you have a working control unit installed in the vehicle prior to

ordering this remote control. Programming instructions are included in the package and will require accessing your valet/programming switch.

Please contact us if you have any questions.

## **PROGRAMMING INSTRUCTIONS:**

**Standard Programming:** This method to program additional or replacement transmitters does not affect the Unauthorized Transmitter Alert (UTA) feature. Before you begin, have all transmitters which are to operate the system at hand.

1. Turn the ignition “on”.
2. Within 7 seconds of Step 1, press the Valet Switch 5 times. The siren/horn will briefly sound, confirming that the system is ready to learn a transmitter code.
3. Press the “lock” button on the transmitter. The system will chirp the siren/horn once to confirm that the remote was learned.
4. If a code is not received within 10 seconds of Step 2, the learning process will automatically exit.

## **Programming Instructions**

**Standard Programming:** This method to program additional or replacement transmitters does not affect the Unauthorized Transmitter Alert (UTA) feature. Before you begin, have all transmitters which are to operate the system at hand.

1. Turn the ignition “on”.
2. Within 5 seconds of Step 1, press the Valet Switch 5 times. The siren/horn will briefly sound, confirming that the system is ready to learn a transmitter code.
3. Press the “lock” button on the transmitter. The system will chirp the siren/horn once to confirm that the remote was learned.
4. If a code is not received within 10 seconds of Step 2, the learning process will automatically exit.

## Specification

Remote Control	
Works With Antenna(s)	433 ECHO
Battery Type	AAA
FCC ID	L2M651
IC Number	WIN4011
Frequency	434Mhz
Range	1/4-MILE
1-Way or 2-Way	2-WAY