

7116V 1-Way Remote Control



Brand: Viper

Product Code: 7116V

Availability: 10

UPC: 093207101380

FCC ID: EZSDEI7116

MPN: 7116V

Location: Cleveland, OH

Price: \$36.99

2 or more \$34.99

3 or more \$33.99

4 or more \$32.99

Short Description

Viper 1-Button 1-Way Remote

Description

Brand New Genuine Viper 7116V 1-Button Replacement Remote Control

Viper 7116V 1-button remote control transmitter for the Viper 4115V, 4118V or new DS4 remote start systems. Will also replace the 7111V Viper remote control. Are you looking for a replacement Viper remote control for your system or just need an additional remote control? Buy brand new with confidence from Access 1 Alarm and Audio!

THE VIPER 7116V IS A DIRECT REPLACEMENT FOR THE 7111V VIPER REMOTE CONTROL

This remote control is from the original manufacturer ensuring that you are receiving a genuine new product made for your Viper system. Works with many Viper, Python, Avital, MESA, Designtech, Ready Remote and Clifford systems

Works with the following current Viper systems:

- 4115V
- 4118V
- DS4
- DS4VP
- D9116V

Works with the following Avital systems:

- 4003L
- 4111L
- 4113L
- 4115L
- 4118L

Works with the following Automate systems:

- 4101A
- 4113A
- 4118AL
- AM6.2

Works with the following Python systems:

- 411
- 441
- 4111P
- 4411P
- 4115P
- 4118P

Works with the following Clifford systems:

- 4115X
- 4118X

Works with the following DesignTech systems:

- 24921
- 24921B

Works with the following Ready Remote systems:

- 4113R

Works with the following MESA systems:

- 4415M

THE VIPER 7116V WILL REPLACE THE VIPER 7111V REMOTE CONTROL

Please make sure you have a working control unit installed in the vehicle prior to ordering this remote control. Programming instructions are included in the package and will require accessing your valet/programming switch. Video instructions will be available on our YouTube page under remote controls.

Do you need the valet switch? Please add the valet switch to your order if you are not sure.

[YouTube Channel Link](#)

Please contact us if you have any questions.

```
{ "@context": "https://schema.org", "@type": "Product", "name": "Viper 7116V 1-Button 1-Way Remote Control", "description": "Brand new genuine Viper 7116V 1-button 1-way replacement remote control transmitter for compatible Viper, Avital, Python, Clifford, Automate, MESA, DesignTech and Ready Remote systems. Direct replacement for the Viper 7111V remote control.", "brand": { "@type": "Brand", "name": "Viper" }, "sku": "7116V", "mpn": "7116V", "gtin12": "093207101380", "category": "Vehicle Remote Controls", "image": [ "https://www.access1alarm.com/images/com_eshop/products/7116v-remote-listing.jpg" ], "url": "https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/viper/7116v/7116v-1-way-remote-control", "offers": { "@type": "Offer", "url": "https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/viper/7116v/7116v-1-way-remote-control", "priceCurrency": "USD", "price": "36.99", "availability": "https://schema.org/InStock", "itemCondition": "https://schema.org/NewCondition", "seller": { "@type": "LocalBusiness", "name": "Access 1 Alarm & Audio", "url": "https://www.access1alarm.com", "address": {
```

```
"@type": "PostalAddress", "streetAddress": "10418 Lorain Ave", "addressLocality": "Cleveland", "addressRegion": "OH", "postalCode": "44111", "addressCountry": "US" }, "telephone": "+1-216-252-3000" } } }
```

Programming Instructions

Note: Make sure the system is disarmed, and the LED is off a minimum of 60-seconds prior to beginning the remote pairing process.

Preparing the system that HAS remote start

1. Open drivers door
2. Turn the ignition ON.
3. Within 10-seconds, press and release the valet and programming button once, then press and hold it. The status LED begins flashing and the siren/horn (if connected) sounds to confirm the system is ready for pairing. **DO NOT LET GO OF THE SWITCH**
4. Press the "REMOTE START" button of the 7116V transmitter. The vehicles horn/siren will honk if connected. You have now successfully learned the remote to the vehicles remote start system.
5. Turn the ignition OFF and WAIT approximately 60 seconds.

Specification

Remote Control	
Works With Antenna(s)	543X, 548T, 6102T, 6111T, 6112T, 6166T, 6167T, 6213T
Battery Type	CR2016 X2
FCC ID	EZSDEI7116
IC Number	1513A-7116
Frequency	434Mhz
Range	1/4-Mile
1-Way or 2-Way	1-Way