CATMLED / CATMLEDE Elite



Brand: Code Alarm
Product Code: CATMLEDE
Stock: 8
MPN: CATMLEDE
Location: Cleveland, Ohio

Price: $79.99

Short Description

Genuine Code Alarm CATMLED / CATMLEDE Elite

2-way LED confirmation. CATMLEDE Elite ships.

A brand-new **4-button CATMLEDE Elite** remote replacing discontinued CATMLED, with up to **1-mile range** for compatible Code Alarm systems. **New CR2450 battery included.**

1 REMOTE INCLUDED · PROGRAMMING REQUIRED

Description

CODE ALARM · CATMLED / CATMLEDE

A genuine **Code Alarm CATMLEDE Elite replacement remote** for your compatible alarm, keyless

entry or remote start system. The CATMLEDE Elite model ships with your order. 4-button control with 2-way LED confirmation. A new CR2450 battery is included.

REMOTE	**CATMLED / CATMLEDE · 4-button**
PRICE	**$79.99**
BATTERY TYPE	**CR2450**
FCC ID REFERENCES	**H50T72**

YOU WILL RECEIVE CATMLEDE ELITE. The “E” stands for Elite. CATMLED is discontinued and replaced by CATMLEDE Elite. One CATMLEDE remote with a new battery is shipped.

SEND. CONFIRM. RELAX.

Control you can see.

The CATMLEDE Elite brings 2-way LED confirmation to a compatible Code Alarm system, with four buttons for the functions your installed system supports.

01

Up to 1-mile advertised range Actual range varies with the receiver, surroundings and interference.

02

New CR2450 battery included One brand-new CATMLEDE Elite remote ships with your order. Pairing required.

CHECK YOUR MATCH

Compatible Code Alarm systems

Match your installed system and receiver before ordering. Your vehicle’s make and model alone do not identify the correct remote.

CA1155ECA1554CA1555ECA1B6CA1BTW6CA2LCDCA2LCD5CA2LCD5ECA2LEDCA2LED5CA2LED5E
CA2RELCDCA2RELCD5CA4BCA4B5CA4B5ECA5154CA5354CA5554CA6154CA6155ECA6355ECA6554CA6555E

COMPATIBLE-SYSTEM REMOTE REFERENCES

CAT1LRCAT1LRECAT1TW6CAT1TW6ECAT4MCAT4MECATMLEDCATMLEDECATLCDCATLCDECATRLCD

What to know before ordering

Your purchase includes **one CATMLEDE Elite 2-way LED remote with a new CR2450 battery**. CATMLED is discontinued; CATMLEDE is the replacement shipped. Other remote models are compatibility references only. 2-way confirmation requires a compatible 2-way receiver and system; this remote does not add 2-way feedback to a 1-way receiver. Available functions depend on the installed equipment.

> **Pairing required.** Follow the separate **PROGRAMMING INSTRUCTIONS** tab. A compatible, functioning Code Alarm system is required; this transmitter does not add remote start by itself.

Let’s find your match.

Have your remote model or system number ready. We’ll help you choose.

Need Help? Call (216) 252-3000

Access 1 Alarm & Audio · 10418 Lorain Ave, Cleveland, OH 44111

{"@context":"https://schema.org","@type":"Product","@id":"https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/code-alarm/catmlede#product","name":"Code Alarm CATMLED / CATMLEDE Elite 2-Way LED Replacement Remote","description":"Replace discontinued Code Alarm CATMLED with CATMLEDE Elite for $79.99. 2-way LED, 4-button remote with new CR2450 battery. Compatibility and programming guide.","image":["https://www.access1alarm.com/images/com_eshop/products/code-alarm-ebay-CATMLEDE.jpg"],"sku":"CATMLEDE","mpn":"CATMLEDE","brand":{"@type":"Brand","name":"Code Alarm"},"url":"https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/code-alarm/catmlede","offers":{"@type":"Offer","url":"https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/code-alarm/catmlede","priceCurrency":"USD","price":"79.99","availability":"https://schema.org/InStock","itemCondition":"https://schema.org/NewCondition","seller":{"@type":"Organization","name":"Access 1 Alarm & Audio"}},"additionalProperty":[{"@type":"PropertyValue","name":"FCC ID","value":"H50T72"},{"@type":"PropertyValue","name":"Battery included","value":"New CR2450"},{"@type":"PropertyValue","name":"Remote type","value":"2-way LED"}]}

PROGRAMMING INSTRUCTIONS

2-Way LED 4-Button Replacement Remote Control

Pair your CATMLEDE with a compatible, functioning Code Alarm system using its valet/programming switch. Programming is controlled by the installed system; consult its manual if the confirmation signals or procedure differ.

BEFORE YOU BEGIN

Locate the valet/programming switch and have the remotes you want to pair within reach. Park safely and keep the engine off.

STEP 1 — ENTER PROGRAMMING MODE

1. **IGNITION:** Turn the ignition to ON without starting the engine.
2. **VALET / PROGRAMMING SWITCH:** Press and hold the switch until the parking lights flash three times, then release it. Some systems also provide audible confirmation.

STEP 2 — PAIR YOUR REMOTES

1. **CATMLEDE:** Press the Lock or Start button indicated by the installed system’s programming instructions. One parking-light flash indicates that the transmitter has been accepted.
2. **ADDITIONAL REMOTES:** Repeat for each compatible transmitter you want programmed. On multi-button remotes, use the Lock or Start button specified by the installed system’s manual.

STEP 3 — EXIT & TEST

1. **EXIT:** Turn the ignition OFF to leave programming mode.
2. **TEST:** Verify the supported remote functions with the vehicle safely parked.

IF PAIRING DOES NOT COMPLETE

Turn the ignition OFF, verify system and receiver compatibility, then follow the installed system’s instructions.

Confirmation signals, transmitter capacity and timing can vary by Code Alarm system. 2-way feedback requires compatible 2-way equipment.

Specification

Remote Control	
Works With Antenna(s)	
Battery Type	CR2450
FCC ID	H50T72
IC Number	
Frequency	915Mhz
Range	1-Mile
1-Way or 2-Way	2-Way