


Clifford 7341X Replacement Remote Control - Viper 7347V



Brand: Clifford

Product Code: 7341X-7347V

Stock: 3

UPC: 93207095023

FCC ID: EZSDEI489

MPN: 7341X-7347V

Location: Cleveland, Ohio

Price: \$136.99

Short Description

The discontinued **Clifford 7341X 2-Way LCD remote control** has been replaced by the genuine **Viper 7347V 4th Generation 2-Way LCD remote** for compatible Clifford Matrix security and remote-start systems. **\$136.99 with FREE U.S. shipping.**

Description

Clifford 7341X Replacement Remote Control - Viper 7347V

Looking for a replacement for your discontinued **Clifford 7341X 2-Way LCD remote control**? The genuine **Viper 7347V 4th Generation 2-Way LCD remote** is the replacement solution for compatible Clifford Matrix security and remote-start systems.

Although the replacement carries the **Viper** name, Viper and Clifford are Directed brands. The 7347V uses the compatible Directed remote-control platform required by

systems that support the Clifford 7341X.

\$136.99 FREE Shipping in the USA

CLIFFORD 7341X DISCONTINUED — REPLACEMENT AVAILABLE The product being sold and shipped is the **Genuine Viper 7347V 4th Generation 2-Way LCD Remote Control** . You will **NOT** receive the discontinued Clifford 7341X.

7341X REPLACEMENT Replacement for the discontinued Clifford remote

GENUINE VIPER 7347V Brand-new original Directed product

2-WAY LCD Visual and audible command confirmation

UP TO 1/4 MILE Rated operating range with compatible systems

Why Does a Viper 7347V Replace My Clifford 7341X?

Clifford and Viper security and remote-start products are part of the Directed product family, and compatible systems shared remote-control technology across several Directed brands.

Because the original **Clifford 7341X** has been discontinued, the newer **Viper 7347V** provides the replacement 2-way LCD remote for compatible Clifford systems.

You do not need a remote with the Clifford name printed on it for a compatible Clifford system to recognize the replacement.

The remote you receive is a **brand-new genuine Viper 7347V** from the original manufacturer — not an aftermarket reproduction, used remote or reprogrammed return.

Viper 7347V Replacement Remote Compatibility

In addition to replacing the **Clifford 7341X**, the Viper 7347V can replace several earlier or discontinued 2-way LCD remote controls when used with a compatible system and receiver / Control Center:

VIPER 489V

7341V

7345V

PYTHON 489P

7341P

CLIFFORD 489X

489XD

7341X

7345X

AUTOMATE 7344A

AVITAL 7345L

7353L

Viper 7347V Replacement Remote Specifications

Remote Type	2-Way 5-Button LCD
Operating Range	Up to 1/4 Mile
Frequency	434MHz ASK 2-Way
Battery	CR2450

Replacement Remote: Viper 7347V | **FCC ID:** EZS7347V | **IC:** 1513A-7347V

Clifford 7341X / Viper 7347V System Compatibility

The Viper 7347V replacement works with select Viper, Python, Clifford Matrix, Automate, Avital and Mesa security and remote-start systems using a compatible receiver / Control Center.

VIPER

- 3305V
- 3308V
- 4305V
- 5305V
- 5308V
- Responder 350
- 5000
- 5002

PYTHON

- Responder 460
- 3305P
- 5305P
- 900
- 902

CLIFFORD MATRIX

- Matrix 1X
- Matrix 10.5
- Matrix 12.5X
- 3305X
- Matrix 5305X
- 5305
- Matrix 5325X

AUTOMATE

- 5305A

AVITAL

- 3305L
- 3308L
- 5305
- 5308L

MESA

- 3307VM
- 5307VM

IMPORTANT COMPATIBILITY INFORMATION:

If a **Clifford 7341X** previously operated your system, then you already know the Viper 7347V is compatible with that system.

If you are purchasing the 7347V to replace a different remote model, compatibility is determined by the actual security / remote-start system and receiver / Control Center installed in the vehicle.

Remote-control compatibility is **not determined by the vehicle's year, make or model**. Verify your original remote model and installed system if you are unsure before ordering.

```
{ "@context": "https://schema.org", "@type": "Product", "@id": "https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/clifford/7341x/7341x-7347v#product", "url": "https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/clifford/7341x/7341x-7347v", "name": "Clifford 7341X Replacement Remote Control - Viper 7347V", "description": "Genuine Viper 7347V 4th-generation 2-way LCD replacement remote for the discontinued Clifford 7341X on compatible Clifford Matrix security and remote-start systems.", "image": "https://www.access1alarm.com/images/com_eshop/products/7341x-7347v.jpg", "sku": "7341X-7347V", "mpn": "7347V", "brand": { "@type": "Brand", "name": "Viper" }, "additionalProperty": [ { "@type": "PropertyValue", "name": "Replaces Remote", "value": "Clifford 7341X" }, { "@type": "PropertyValue", "name": "Replacement Remote", "value": "Viper 7347V" }, { "@type": "PropertyValue", "name": "Remote
```

```
Type", "value": "4th Generation 2-Way 5-Button LCD" }, { "@type": "PropertyValue",
"name": "Operating Range", "value": "Up to 1/4 Mile" }, { "@type": "PropertyValue",
"name": "Frequency", "value": "434MHz ASK 2-Way" }, { "@type": "PropertyValue",
"name": "Battery", "value": "CR2450" }, { "@type": "PropertyValue", "name": "FCC
ID", "value": "EVS7347V" }, { "@type": "PropertyValue", "name": "IC", "value":
"1513A-7347V" } ], "offers": { "@type": "Offer", "url": "https://www.access1alarm.com/
car-alarms-and-remote-start/remote-controls/clifford/7341x/7341x-7347v",
"priceCurrency": "USD", "price": "136.99", "availability": "https://schema.org/InStock",
"itemCondition": "https://schema.org/NewCondition", "shippingDetails": { "@type":
"OfferShippingDetails", "shippingRate": { "@type": "MonetaryAmount", "value": "0",
"currency": "USD" }, "shippingDestination": { "@type": "DefinedRegion",
"addressCountry": "US" } }, "seller": { "@type": "Organization", "name": "Access 1
Alarm & Audio", "url": "https://www.access1alarm.com/" } } }
```

Programming Instructions

Viper 7345V Remote Control Programming Instructions

The **Viper 7345V** must be paired to the security or remote-start system installed in the vehicle before it can be used.

The correct programming procedure depends on whether your installed system is a **Security + Remote Start system** or a **Security Only system**.

IMPORTANT — LOCATE YOUR PROGRAMMING BUTTON FIRST

Depending on the age and configuration of your system, the programming button may be located in one of two places:

- **Separate Valet / Program Switch:** Older installations may have a separate small push-button switch hidden underneath the driver's side dashboard.
- **Control Center / Antenna:** Other systems use the programming button

incorporated into the windshield-mounted Control Center / Antenna.

Both buttons serve the same programming purpose in the routines below. Use whichever programming button is installed with your system.

1. **Door:** Open a vehicle door and leave it open.
2. **Key:** Turn the ignition key to the **ON** position. Do not start the vehicle.
3. **Choose:** Within five seconds, press and release the **Valet / Program button or Control Center / Antenna button one time**.
4. **Hold:** Within five seconds, press the same programming button one more time and **continue holding it**. The LED will flash one time and the siren will chirp to confirm entry into remote programming. **Do not release the button**.
5. **Transmit:** While continuing to hold the programming button, press the **LOCK button** on the Viper 7345V. The siren will chirp to confirm that the remote has been programmed.
6. **Release:** Release the programming button and turn the ignition key to **OFF**.

1. **Door:** Open a vehicle door and leave it open.
2. **Key:** Turn the ignition key to the **ON** position. Do not start the vehicle.

3. **Choose:** Within five seconds, press and release the **Valet / Program button or Control Center / Antenna button seven times.**
4. **Hold:** Press the same programming button one more time and **continue holding it.** The LED will flash seven times and the siren will chirp to confirm the selected programming channel. **Do not release the button.**
5. **Transmit:** While continuing to hold the programming button, press the **LOCK button** on the Viper 7345V. The unit will chirp to confirm that the remote has been paired to the receiver.
6. **Release:** Release the programming button and turn the ignition key to **OFF.**

NOTE: If the system does not enter programming mode, first verify that you are using the correct programming button for your installation. Some vehicles have the **Valet / Program switch hidden underneath the dashboard**, while others use the button on the **windshield-mounted Control Center / Antenna.**

Programming Complete

After programming is complete, turn the ignition OFF and test the Viper 7345V by locking and unlocking the system. A properly paired 2-way remote should provide confirmation from the compatible system.

Viper Remote Control Programming Video

Need additional help? Watch our remote-control programming video for a visual walkthrough of the pairing process.

WATCH PROGRAMMING VIDEO

Specification

Remote Control	
Works With Antenna(s)	548T, 6213T, 6214T, A6214T
Battery Type	CR2450
FCC ID	EZS7347V
IC Number	1513A-7347V
Frequency	434Mhz
Range	1/4-MILE
1-Way or 2-Way	2-WAY